




CORRUGATED POLYCARBONATE SHEET PRODUCT

Macrolux[®]



MACROLUX® ROOFLITE® CORRUGATED POLYCARBONATE PANELS are designed for applications requiring a lightweight, rigid covering which is virtually unbreakable while still offering high light transmission.


Applications:

- Sidelights
- Pool & Patio Covers
- Sunrooms
- Skylights
- Canopies
- Vertical Partitions
- Greenhouses
- Walkway Covers
- Dividers
- Garden Sheds
- Carports
- Fencing

Features & Benefits:

- Macrolux® Rooflite® produces bigger, brighter plants and vegetables.
- High light transmission optimizes plant growth.
- 100% light diffusion scatters light in greenhouses promoting uniform arowth.
- Diffusion softens light and reduces harsh solar energy avoiding hot spots that damage plants and makes a comfortable work and living environment.
- No Drip feature prevents condensation from forming droplets and dripping on the plants which can spread disease and damage plants.
- Promotes higher crop yields and eliminates shadows.
- Panel offers privacy while still allowing in natural light for growing.
- Available in Greca, Omega and Roma profiles.
- 10 year non prorated warranty on yellowing and breakage caused by hail.
- Macrolux® Rooflite® High Diffused Polycarbonate Greenhouse Covering 100% Light Diffusion 90% Light Transmission.

Profiles



Greca 76-18





Omega 76-18

1270 OMEGA 76 - 15



Roma 76-18



Benefits



Recyclable



Lightweight easy to handle



Energy efficient



High light transmission



Co-extruded UV 1 side



Virtually unbreakable



Physical Properties

| CHARACTERISTICS | ROMA (SINE WAVE) | GRECA | OMEGA |
|-----------------------------------|--|-----------|-----------|
| Nominal Width | 50" & 26" | 50" & 26" | 50" & 26" |
| Nominal Thickness (mm) | 0.8 | 0.8 | 0.8 |
| Corrugation Pitch (mm) | 76 | 76 | 76 |
| Corrugation Height | 18 | 18 | 18 |
| Weight: lbs/sf | 0.22 | 0.23 | 0.23 |
| Light Transmission ASTM-D1003 (%) | | | |
| Clear | 90 | | |
| Bronze | 48 | | |
| Opal | 60 | | |
| HD Soft White | PAR Ligh 90% with 100% Light Diffusion | | |

- Lengths up to 48 foot.
- Custom colors available by special order.
- Thicknesses available .8mm, .9mm, 1mm and 1.2mm.



Diffused light



Direct light

Greca Corrugated HDSoft White PC Greenhouse Covering



Shadows with clear covering



No shadows with HD Soft White





10 Year Non Prorated Warranty

Macrolux® Rooflite® Corrugated Polycarbonate sheets come with a 10 Year Non Prorated Warranty against loss of light transmission caused by yellowing and breakage caused by hail.

The corrugated PC panels come with a UV coextruded protection on the exterior surface which protects the sheet from degradation and discoloration caused by UV rays. The "No Drip" anti condensation feature is available on the interior surface of the panel.

Virtually unbreakable, these corrugated sheets will withstand breakage caused by hail stones of up to 23mm in diameter for the life of the warranty.

Macrolux® Rooflite® PC greenhouse covering prevents the transmission of over 99.9% of harmful radiation resulting from UV rays. It maintains its mechanical and structural integrity under extreme weather conditions (up to 248° F).

Special Notes:

- **1.** The installation must comply with IMSA Plastics guidelines for warranty to be valid. Local authorization may be required.
- 2. Installation guidelines available on request.

For additional information or questions contact Macrolux USA at 800.888.5364.



This information and our product application recommendations are illustrative and must be verified for each project.

The pictures presented are merely illustrative.